

Risk Assessment Coding Tool

COMMON COMBO CODES

DIABETES	
E11.29 + R80.9	DM w/ proteinuria
E11.22 + N18.9	DM w/ CKD
E11.22 + N18.30	DM w/ CKD 3
E11.22 + N18.4	DM w/ CKD 4
E11.22 + N18.5	DM w/ CKD 5
E11.22 + N18.6	DM w/ ESRD
E11.39 + H42	DM w/ glaucoma
E11.69 + E78.5	DM w/ hyperlipidemia
E11.51 + I70.209	DM w/ peripheral arteriosclerosis
E11.59 + I50.9	DM w/ heart failure
E11.628 + L83	DM w/ acanthosis nigricans
E11.59 + I43	DM w/ cardiomyopathy

NERVOUS SYSTEM DISEASES	
G30.9 + F02.80	Alzheimer's disease
E53.9 + G63	Polyneuropathy due to vitamin B deficiency
G62.82 + Y84.2	Polyneuropathy, radiation-induced

OBESITY	
E66.812 + Z68.35-.39 + comorbidity	Class 2 Obesity 35-39.9 with comorbidity
E66.9 + Z68.40-.45	Class 3 Obesity BMI +40

FREQUENTLY MISSED CONDITIONS	
Z89.xx	Amputations
Z93.xx	Ostomies
Z94.xx	Transplants

CARDIOVASCULAR	
I11.9 + I43	Cardiomyopathy, hypertensive
I11.0 + I50.9	HTN with heart failure
I12.9 + N18.x	HTN w/ CKD
I13.0 + N18.x + I50.xx + Z99.2 (if applicable)	HTN w/ CHF & CKD Stage 1-4
I13.2 + N18.5/N18.6 + I50.xx + Z99.2	HTN w/ CHF + ESRD or Stage 5 CKD

Risk Assessment Coding Tool

MAJOR DEPRESSIVE DISORDER

MAJOR DEPRESSIVE DISORDER: 5+ symptoms; 2+ weeks; strong symptoms that interfere with life	
F32.xx	Single Episode
F33.xx	Recurrent Episode; Seasonal affective disorder
PERSISTENT DEPRESSIVE DISORDER: 2+ symptoms; 2+ years; milder symptoms	
F34.xx	Persistent Depressive Disorder
DEPRESSION IN BIPOLAR DISORDER: Associated with a manic phase; 5+ symptoms; 2+ weeks	
F31.xx	Bipolar Disorders
OTHER DEPRESSIVE EPISODES	
F41.8	Mixed Anxiety and depressive disorder
F34.0	Cyclothymic disorder

Required Documentation Elements for MDD:

- Episode (Single or Recurrent)
- Severity (Mild, Moderate, or Severe)
- With or without Psychotic Features
- Remission or Partial Remission

CHRONIC OBSTRUCTIVE PULMONARY DISORDER

ICD-10	DESCRIPTION	CODING NOTES
J43.9	Emphysema, unspecified	Document: <ul style="list-style-type: none"> • Type of emphysema • If condition is due to use or exposure to tobacco Do not assign another code for COPD
J44.89	Other specified COPD	Separate code for Asthma should not be used, unless the type of asthma is unspecified or is exacerbated
J45x	Asthma	Assign specificity or if exacerbated with COPD
J84x	Pulmonary Fibrosis	Document: <ul style="list-style-type: none"> • Cause • Any underlying diseases

Reminder: If COPD is well-controlled, document medication and control level.

Example: COPD well controlled on Spirivia